






602271

Tracks




- | | | |
|------------------|---------------|---------------------|
| 1 Master pin | 5 Seal washer | 9 Standard shoe |
| 2 Spacer | 6 Pin | 10 Master seal |
| 3 Master bushing | 7 Bushing | 11 Seal |
| 4 Master link | 8 Link | 12 Curved apex shoe |

Carrier roller




- | | |
|-----------|-----------------|
| 1 Cover | 5 Shaft |
| 2 Washer | 6 Floating seal |
| 3 Roller | 7 Seal support |
| 4 Bushing | |

Front idler




- | | |
|-----------------|-----------------|
| 1 Guide | 6 Bushing |
| 2 Shim | 7 Wear strip |
| 3 Shaft | 8 Thrust washer |
| 4 Bearing | 9 Idler |
| 5 Floating seal | |

Track roller




- | | |
|-----------------|-----------|
| 1 Collar | 4 Bushing |
| 2 Floating seal | 5 Shaft |
| 3 Thrust washer | 6 Roller |

Recoil spring and hydraulic adjuster cylinder



- | | |
|------------------|--------------------------|
| 1 Fill valve | 5 Spring retainer |
| 2 Stopper bolt | 6 Spring |
| 3 Cylinder | 7 Carrier roller bracket |
| 4 Cylinder shaft | |

POWER TRAIN



BD2G, BS3G WIRING DIAGRAM

